



Stormwater Requirements for Construction Activities

Developers Advisory Forum

March 2, 2021



Stormwater Management

- Stormwater Quantity vs Stormwater QUALITY
- Stormwater Quality Requirements for Construction
 - Only Rain in the Storm Drain
 - Protect Public Health and the Environment
 - Protect City's Infrastructure

Questions – Stormwater Management

QUESTION 1:

Will this project disturb one acre (43,560 square feet) or greater of soil/land?

OR,

Will this project disturb less than one acre (43,560 square feet) of soil/land that is part of a larger common plan of development that will ultimately disturb one acre or more of soil/land?

Yes ☐

No ☐

If yes, provide a copy of the ADEQ Permit Authorization, ADEQ Permit Waiver, or ADEQ No Discharge Certificate.

Questions – Stormwater Management

QUESTION 2:

Does this project have a potential to discharge pollutants to the City's stormwater system?

Yes

☐

No

☐

If the answer is “Yes” to both question 1 and question 2, provide an Erosion and Sediment Control Plan.

An Erosion and Sediment Control Plan is a portion of the Stormwater Pollution Prevention Plan (SWPPP) developed for the Site.

Erosion and Sediment Control Plans

References

- Mesa's Environmental Requirements for Construction Activities:
- <https://www.mesaaz.gov/business/environmental-requirements-for-construction-activities>
- Maricopa County Flood Control District Drainage Design Manual reference



Comments and Questions

Laura Hyneman, Deputy Director, Environmental
Management & Sustainability Department

Laura.Hyneman@mesaaz.gov

480 644-2490